

|               |   |  |                                    |   |  |  |
|---------------|---|--|------------------------------------|---|--|--|
| REASON        |   | GRADE<br><br>0                             | Inspection Date:<br>9/21/17        |   | ESTABLISHMENT NAME:<br>FIRST STEP EARLY CHILDHOOD EDUCATION CENTER |  |
| Regular       | ✓ |  | Time In/Out:<br>9:35 AM   10:25 AM |   | OWNER/OPERATOR:<br>HENRICKSEN, TRICIA                              |  |
| Follow-Up     |   |  |                                    |   | LOCATION: 308 MEPA ST. DEDEDO                                      |  |
| Complaint     |   |  | RATING<br><br>A                    | Sanitary Permit No.:<br>20000-170001792   |  | PERMIT STATUS: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired |
| Investigation |   | No. of Children: 16 Male 8 Female 24 Total |                                    | Child Care License No. 160089 <input checked="" type="checkbox"/> Valid <input type="checkbox"/> / / Provisional <input type="checkbox"/> / / Expired |  |  |
| Other:        |   |  |                                    |   |  |  |

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

(2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

DEH Inspector (Name & Title):